


Support Tower to  
Building Structure

74-1/2"  
[1892mm]



#### SPECIFICATIONS:

- 40" x 54" [1016mm x 1372mm] LIFT PLATFORM
- 54" x 54" [1372mm x 1372mm] FOOTPRINT
- 74 1/2" [1892mm] TOWER HEIGHT
- 0" - 52" [0mm - 1321mm] LIFT RANGE
- MAXIMUM LOAD 750 lbs. [340 Kg.]
- 8 F.P.M [0.04 M/S] LIFT SPEED
- SCREW NUT SYNCHRONOUS BELT DRIVE
- MOTOR: 1/2 H.P. 110V A.C.
- POWER SUPPLY: 110V/1PH/60HZ C/W 15A FUSED DISCON.
- NON-LOAD BEARING BACKUP SAFETY NUT ON LIFT SHAFT
- ZERO-LOAD START IN BOTTOM POSITION

## APEB52ADJLAL


- ☐ Accepted as Shown
- ☐ Revise and Resubmit
- ☐ Accepted as Modified


Date: \_\_\_\_\_

Per: \_\_\_\_\_


#### NOTES:

- Dimensions are in inches & [mm]


JOB No.	TOTAL TRAVEL	52 1321	INCHES mm	No. OF LANDINGS	2	<div><b>FREE OM</b>LiftSystems <i>by Accessibility Professionals</i></div>				
LOCATION	ADJACENT ACCESS SAMPLE DRAWINGS					DWN. BY: AJK		INSTALLATION DETAILS AND SPECIFICATIONS		
ARCHITECT						CHECKED BY:				
GENERAL CONTRACTOR						SCALE: N.T.S.	DATE: 05 /Jul /2021	DRAWING No. 1/2 52CRLDUNNNAT-750	REV A	



PLAN VIEW SECTION



SECTION A-A

JOB No.	TOTAL TRAVEL	52 1321	INCHES mm	No. OF LANDINGS	2	<div><b>FREEOM</b>LiftSystems by Accessibility Professionals</div>				
LOCATION	ADJACENT ACCESS SAMPLE DRAWINGS					DWN. BY: AJK		INSTALLATION DETAILS AND SPECIFICATIONS		
ARCHITECT						CHECKED BY:				
GENERAL CONTRACTOR						SCALE: N.T.S.	DATE: 05/Jul/2021	DRAWING No.	2/2	REV A
						52CRLDUNNNAT-750				